

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	44	(estimat\$4 calculat\$4) near5 (future near2 (power consum\$6))	USPAT; EPO	OR	OFF	2006/09/13 08:47
L2	102	(estimat\$4 calculat\$4) near5 (future near2 (power consum\$6))	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/13 08:48
L3	4	(estimat\$4 calculat\$4) near5 (future near2 (power consum\$6)) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/13 09:07
L4	26	power adj broker\$1	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/13 09:08
L5	0	power adj broker\$1 and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/13 09:08
S1	6	(consum\$6 near2 most near2 power) near7 determin\$4	USPAT; EPO	OR	OFF	2006/08/22 10:13
S2	13	(consum\$6 near2 most near2 power) near7 determin\$4	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:37
S3	5	("20030135288" "20030156074" "5655126" "6456016" "6697953").PN.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 14:07
S4	2	("5598565" "6801811").pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:32
S5	17	(consum\$6 near2 most near2 power) near7 (determin\$4 calculat\$5)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:57
S6	6	"108768".ap.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:57
S7	1	"7030832".pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:58
S8	1	"7030837".pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:58
S9	15	(secondary backup) near2 (display lcd) and 713/3\$.ccls.	USPAT; EPO	OR	OFF	2006/08/22 10:07

EAST Search History

S10	2	(secondary backup) near2 (display lcd) same conserv\$6	USPAT; EPO	OR	OFF	2006/09/12 08:57
S11	1393	(secondary backup) near2 (display lcd)	USPAT; EPO	OR	OFF	2006/08/22 10:12
S12	9	((consum\$6 usage) near2 power) near7 determin\$4 same substitut\$5	USPAT; EPO	OR	OFF	2006/08/22 10:13
S13	3	((consum\$6 usage) near2 power) near7 determin\$4 same substitut\$5 and g06f\$. ipc.	USPAT; EPO	OR	OFF	2006/08/22 10:50
S14	14	((consum\$6 usage) near2 power) near7 determin\$4 same instead and g06f\$.ipc.	USPAT; EPO	OR	OFF	2006/08/22 10:28
S15	64	oprescu.in.	USPAT; EPO	OR	OFF	2006/08/22 10:28
S16	3	oprescu.in. and 713/3\$.ccls.	USPAT; EPO	OR	OFF	2006/08/22 10:29
S17	33788	power adj requirement\$1	USPAT; EPO	OR	OFF	2006/08/22 10:50
S18	47	((consum\$6 usage) near2 power) near7 determin\$4 same alternat\$5 and g06f\$. ipc.	USPAT; EPO	OR	OFF	2006/08/22 10:51
S19	2282	713/32\$.ccls.	USPAT; EPO	OR	OFF	2006/08/23 08:36
S20	306	713/32\$.ccls. and substitut\$5	USPAT; EPO	OR	OFF	2006/08/23 08:38
S21	15	713/32\$.ccls. and substitut\$5 near4 device\$1	USPAT; EPO	OR	OFF	2006/08/23 08:39
S22	15	713/32\$.ccls. and substitut\$5 near4 device\$1	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 08:39
S23	37	cai.in. and cpu	USPAT; EPO	OR	OFF	2006/08/23 15:59
S24	5	cai.in. and "713"/\$.ccls.	USPAT; EPO	OR	OFF	2006/08/23 16:12
S25	1162	estimat\$5 near3 consumption	USPAT; EPO	OR	OFF	2006/08/23 16:12
S26	46	estimat\$5 near3 consumption and 713/3\$.ccls.	USPAT; EPO	OR	OFF	2006/08/23 16:13

EAST Search History

S27	92	estimat\$5 near3 consumption and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:13
S28	52	estimat\$5 near3 consumption and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:16
S29	0	estimat\$5 near3 consumption same substitut\$5 and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:16
S30	20	estimat\$5 near3 consumption same substitut\$5	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:17
S31	130	estimat\$5 near3 power same substitut\$5	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:17
S32	3	estimat\$5 near3 power same substitut\$5 and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:22
S33	5	(calculat\$4) near3 power same substitut\$5 and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:24
S34	1	(calculat\$4) near3 consum\$6 same substitut\$5 and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:24
S35	1	(calculat\$4 estimat\$6) near3 consum\$6 same substitut\$5 and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:24
S36	1	reassign\$4 near3 task\$1 and 713/3\$.ccls.	USPAT; EPO	OR	OFF	2006/09/06 08:18
S37	2	reassign\$4 near3 task\$1 and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:19
S38	0	reassign\$4 near3 (different another) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:19
S39	1005	reassign\$4 near3 (different another)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:19
S40	37	reassign\$4 near3 (different another) same power	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:21

EAST Search History

S41	37	less adj power with substitut\$5	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:21
S42	11	less adj power near4 substitut\$5	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:21
S43	4	"830217".ap.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:51
S44	14184	usage with power	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:51
S45	634	usage with power and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:51
S46	7	model near5 (usage with power) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:53
S47	1819	alternativ\$4 near6 low\$3 near2 power	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:53
S48	56	alternativ\$4 near6 low\$3 near2 power and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:54
S49	56	alternativ\$4 near6 (low\$3 near2 power) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 08:58
S50	3	oprescu.in. and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 09:02
S51	372	measur\$4 near2 power and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 09:57
S52	1035	monitor\$4 near2 power and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 09:57
S53	79	(monitor\$4 near2 power) near4 (devices peripherals) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 09:58
S54	109	(monitor\$4 near2 power) near4 (devices peripherals components) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:10

EAST Search History

S55	49	(monitor\$4 near2 power) near4 (devices peripherals components) and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:20
S56	1	(monitor\$4 near2 power) near4 (devices peripherals components) same (list\$1 table\$1) and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:11
S57	1	(monitor\$4 near2 power) near4 (devices peripherals components) same (list\$1 table\$1) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:11
S58	53	((measur\$5 determin\$4) near2 power) near4 (devices peripherals components) and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:21
S59	60	((measur\$5 determin\$4 calculat\$6) near2 power) near4 (devices peripherals components) and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:30
S60	12	((measur\$5 determin\$4 calculat\$6) near2 power) near4 (devices peripherals components) same (off sleep) and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:31
S61	13	((measur\$5 determin\$4 calculat\$6) near2 power) near4 (devices peripherals components) same (off sleep suspend) and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:44
S62	18	((measur\$5 determin\$4 calculat\$6) near2 power) near4 (devices peripherals components) and 713/324.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:43
S63	35	((monitor\$4 measur\$5 determin\$4 calculat\$6) near2 power) near4 (devices peripherals components) and 713/324.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:43

EAST Search History

S64	15	((monitor\$4 measur\$5 determin\$4 calculat\$6) near2 power) near4 (devices peripherals components) same (off sleep suspend) and 713/324.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 10:49
S65	4	((most highest) near2 power) near4 (device\$1 peripheral\$1 component\$1) near5 (off sleep suspend) and 713/324.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 13:01
S66	0	((most highest) near2 energy) near4 (device\$1 peripheral\$1 component\$1) near5 (off sleep suspend) and 713/324.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/06 13:16
S67	1	"6912664".pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 14:56
S69	61	((power adj aware power\$1aware) (energy adj aware energy\$1aware))	USPAT; EPO	OR	OFF	2006/09/06 14:58
S70	149	((power adj aware power\$1aware) (energy adj aware energy\$1aware))	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 14:58
S71	41	((power adj aware power\$1aware) (energy adj aware energy\$1aware)) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 14:58
S72	30	((power adj aware power\$1aware) (energy adj aware energy\$1aware)) and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 15:42
S73	10	((power adj aware power\$1aware) (energy adj aware energy\$1aware)) same (sleep suspend)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 15:25
S74	41	((power adj aware power\$1aware) (energy adj aware energy\$1aware)) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 15:56

EAST Search History

S75	46	((power adj aware power\$1aware) (energy adj aware energy\$1aware)) same (device\$1 peripheral\$1 component\$1)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 16:10
S76	77	Ranganathan.in.	EPO; JPO	OR	OFF	2006/09/06 16:04
S77	5	Ranganathan.in. and power	EPO; JPO	OR	OFF	2006/09/06 16:04
S78	40	((power adj aware power\$1aware) (energy adj aware energy\$1aware)) same (identif\$4 monitor\$4 measur\$5 determin\$4 calculat\$6)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 16:11
S79	17	((power adj aware power\$1aware) (energy adj aware energy\$1aware)) with (identif\$4 monitor\$4 measur\$5 determin\$4 calculat\$6)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/07 12:56
S80	1	(power\$1aware power adj aware energy\$1aware energy adj aware) same (secondary aux auxiliary)	USPAT; EPO	OR	OFF	2006/09/07 11:21
S81	0	(power\$1aware power adj aware energy\$1aware energy adj aware) same (sustitut\$5)	USPAT; EPO	OR	OFF	2006/09/07 11:22
S82	0	(power\$1aware power adj aware energy\$1aware energy adj aware) same (substitut\$5)	USPAT; EPO	OR	OFF	2006/09/07 11:22
S83	2977	switch\$5 near5 low\$2 adj power	USPAT; EPO	OR	OFF	2006/09/07 11:23
S84	30	switch\$5 near5 low\$2 adj power near5 display	USPAT; EPO	OR	OFF	2006/09/07 11:23
S85	12	switch\$5 near5 low\$2 adj power near5 display and g06f\$.ipc.	USPAT; EPO	OR	OFF	2006/09/07 11:24
S86	46	switch\$5 near5 low\$2 adj power near5 (cpu processor micro\$1processor display) and g06f\$.ipc.	USPAT; EPO	OR	OFF	2006/09/07 11:24

EAST Search History

S87	4	(US-20030156074-\$ or US-20030135288-\$ or US-20050240786-\$).did. or (US-6912664-\$).did.	US-PGPUB ; USPAT	OR	OFF	2006/09/07 11:49
S88	4	(US-20030156074-\$ or US-20030135288-\$ or US-20050240786-\$).did. or (US-6912664-\$).did. and future	US-PGPUB ; USPAT	OR	OFF	2006/09/07 11:49
S89	4	((US-20030156074-\$ or US-20030135288-\$ or US-20050240786-\$).did. or (US-6912664-\$).did.) and future	US-PGPUB ; USPAT	OR	OFF	2006/09/07 12:33
S90	3	("5758269" "6801777" "5870685").pn.	US-PGPUB ; USPAT	OR	OFF	2006/09/07 12:34
S91	3	(US-6801777-\$ or US-5870685-\$ or US-5758269-\$).did.	USPAT	OR	OFF	2006/09/07 12:37
S92	1	(US-6801777-\$ or US-5870685-\$ or US-5758269-\$).did. and measure	USPAT	OR	OFF	2006/09/07 12:37
S93	1	(US-6801777-\$ or US-5870685-\$ or US-5758269-\$).did. and measur\$4	USPAT	OR	OFF	2006/09/07 12:37
S94	12	("5125610" "5168423" "5206790" "5438530" "5475626" "5559670" "5949673" "6076786" "6198624" "6275376").PN. OR ("6532149").URPN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 12:39
S95	22	((power adj aware power\$1aware) (energy adj aware energy\$1aware)) with (peripheral\$1 device\$1 component\$1) and batter\$5	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/07 13:02
S96	10	"6836849"	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/07 13:02
S97	1	"6836849".pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/07 13:02

EAST Search History

S98	25	("5484012" "5502838" "5752011" "5798918" "5881298" "5906315" "5940785" "6000036" "6029251" "6052268" "6119241" "6157989" "6397343" "6560658" "6639883" "6718474").PN. OR ("6836849").URPN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:23
S99	4	S98 and batter\$4	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:26
S10 0	470	713/3\$.ccls. and (threshold\$1 level\$1) near4 batter\$5	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:27
S10 1	12	713/3\$.ccls. and (threshold\$1 level\$1) near4 batter\$5 and (power\$1aware power adj aware energy\$1aware energy adj aware)	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:30
S10 2	32704	measur\$5 near5 (power voltage current) near5 (device\$1 peripheral\$1 component\$1)	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:32
S10 3	8856	measur\$5 near5 (power voltage current) near5 (devices peripherals components)	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:32
S10 4	175	measur\$5 near5 (power voltage current) near5 (devices peripherals components) and batter\$4 near2 (level\$1 threshold\$1)	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:33
S10 5	12	measur\$5 near5 (power voltage current) near5 (devices peripherals components) and batter\$4 near2 (level\$1 threshold\$1) with (reduc\$5 conserv\$6 suspend\$4 sleep\$4)	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:35

EAST Search History

S10 6	27912	(power voltage current) near5 (devices peripherals components) with (disabl\$4 reduc\$5 conserv\$6 suspend\$4 sleep\$4)	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:36
S10 7	1206	(power voltage current) near5 (devices peripherals components) with (disabl\$4 reduc\$5 conserv\$6 suspend\$4 sleep\$4) and 713/3\$.ccls.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:36
S10 8	1017	(power voltage current) near5 (devices peripherals components) near5 (disabl\$4 reduc\$5 conserv\$6 suspend\$4 sleep\$4) and 713/3\$.ccls.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:36
S10 9	659	(power voltage current) near3 (devices peripherals components) near3 (disabl\$4 reduc\$5 conserv\$6 suspend\$4 sleep\$4) and 713/3\$.ccls.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:37
S11 0	304	(consum\$7) near2 (power voltage current) near3 (devices peripherals components) near3 (disabl\$4 reduc\$5 conserv\$6 suspend\$4 sleep\$4) and 713/3\$.ccls.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:37
S11 1	300	(consum\$7) near2 (power) near3 (devices peripherals components) near3 (disabl\$4 reduc\$5 conserv\$6 suspend\$4 sleep\$4) and 713/3\$.ccls.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:38
S11 2	31	(consum\$7) near2 (power) near3 (devices peripherals components) near3 (disabl\$4 suspend\$4 sleep\$4) and 713/3\$.ccls.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 13:38
S11 3	1522	power adj budget	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 09:52

EAST Search History

S11 4	13	power adj budget with measur\$4	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 08:57
S11 5	148	power adj budget same batter\$5	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 09:52
S11 6	42	power adj budget same batter\$5 and g06f\$.ipc.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 09:53
S11 7	11	power adj budget same batter\$5 same (sleep suspend\$4 off throttl\$4) and g06f\$.ipc.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 10:15
S11 8	4869	profil\$4 near2 power	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 10:16
S11 9	88	profil\$4 near2 power and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 10:19
S12 0	44	profil\$4 near2 power and 713/32\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 11:07
S12 1	410	priority near4 power near2 consum\$6	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 11:08
S12 2	39	priority near4 power near2 consum\$6 and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 11:08
S12 3	1	(US-20030156074-\$).did.	US-PGPUB	OR	OFF	2006/09/12 11:51
S12 4	0	(US-20030156074-\$).did. and metric\$1 same select\$4	US-PGPUB	OR	OFF	2006/09/12 11:52
S12 5	314	encryption near5 power	USPAT; EPO	OR	OFF	2006/09/12 13:35
S12 6	7	encryption near5 power and 713/3\$.ccls.	USPAT; EPO	OR	OFF	2006/09/12 12:13
S12 7	7	pass\$4 with encryption near5 power	USPAT; EPO	OR	OFF	2006/09/12 12:59
S12 8	41	pass\$2 with encryption same power	USPAT; EPO	OR	OFF	2006/09/12 13:01
S12 9	0	pass\$2 with encryption same power and 713/3\$.ccls.	USPAT; EPO	OR	OFF	2006/09/12 12:59

EAST Search History

S13 0	2645	low adj power near5 (processor\$1 cpu micro\$1processor\$1)	USPAT; EPO	OR	OFF	2006/09/12 13:01
S13 1	1473	low adj power near2 (processor\$1 cpu micro\$1processor\$1)	USPAT; EPO	OR	OFF	2006/09/12 13:02
S13 2	271	low adj power near2 (processor\$1 cpu micro\$1processor\$1) and 713/3\$.ccls.	USPAT; EPO	OR	OFF	2006/09/12 13:05
S13 3	432	low adj power near2 (processor\$1 cpu micro\$1processor\$1) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 13:05
S13 4	18	(high adj power) with low adj power near2 (processor\$1 cpu micro\$1processor\$1) and 713/3\$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 13:05
S13 5	16	(US-20040054937-\$ or US-20050240786-\$ or US-20030156074-\$ or US-20030135288-\$ or US-20040268166-\$).did. or (US-6912664-\$ or US-6631474-\$ or US-6836849-\$ or US-6532149-\$ or US-6804632-\$ or US-5752046-\$ or US-6948082-\$ or US-7030837-\$ or US-5532935-\$ or US-6928564-\$ or US-6925573-\$).did.	US-PGPUB ; USPAT	OR	OFF	2006/09/12 13:20
S13 6	0	S135 and batter\$4 with uni\$1processor\$1	US-PGPUB ; USPAT	OR	OFF	2006/09/12 13:20
S13 7	1	extent near5 encryption near5 power	USPAT; EPO	OR	OFF	2006/09/12 13:34
S13 8	4	encryption near5 power near2 conserv\$6	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:35
S13 9	36	encryption near5 power near2 (reduc\$4 conserv\$6)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:35

EAST Search History

S14 0	36	encrypt\$3 near5 power near2 (reduc\$4 conserv\$6)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:35
S14 1	39	encrypt\$4 near5 power near2 (reduc\$4 conserv\$6)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:54
S14 2	56	encrypt\$4 near3 level\$1 with (power energy)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:55
S14 3	1	encrypt\$4 near3 level\$1 with (power energy) and 713/3\$. cls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:55
S14 4	43	(encrypt\$4 near3 level\$1) near6 (power energy)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 14:01
S14 5	15	(encrypt\$4 near level\$1) near6 (power energy)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:56
S14 6	1	determin\$4 near2 (encrypt\$4 near3 level\$1) near6 (power energy)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 14:01
S14 7	1	"6501999".pn.	USPAT; EPO	OR	OFF	2006/09/13 08:47